

2012

MARK

®

TOP QUALITY & SUPERIOR VALUE



INDEX



P05 — P17

SCREWDRIVERS / MULTI-FUNCTION SETS



P18 — P26

BITS



P27 — P34

HEX KEY / T-BAR



P35 — P37

PLIERS



P38 — P40

TOOL KITS





ABOUT E-MARK


With more than 18 years experience and credit, E-Mark Tools International Co., Ltd. always insist on the principle of honesty, innovation, and high quality. In this competitive industry, we have been maintaining a strong presence by providing products with high quality and customer satisfaction. We have built up customer's confidence and our strict quality is recognized by our E-MARK logo.

In order to provide the valued added products, we are keeping researching and developing the highest technology to manufacture excellent products. With professional marketing sense we keep updating the packing and layout. The reasonable price and sincere service set up our solid basis for our future.

CERTIFICATE VDE / VPA



QUALITY CONTROL



RAW MATERIAL INPUT

Every lot of input of raw material should be inspected through composition analysis and taking record of all the data for study. So that we can have a definite standard to assure every lot of input meets with our Q.C request.

BLADES PRPCESS INSPECTIONS

Tips : we check the tip size by DIN standard gauges. Measuring important point of sizes in Thickness, Width and Length.

HEAT TREATMENT INSPECTIONS

1. Hardness Testing:

Blades must be proceeded as Heat Treatment till the hardness allowance within HRC+/-1

2. Torque Testing:

We are able to control the torque of the blade over DIN standard more than 30% which made by chrome-molybdenum steel.

STRAIGHTENING

To ensure all blades are straight after heat treatment. We do straightening and test by the same machine at the same time.

PLATING INSPECTIONS

In order to ensure the resistance to erosion after plating we do Salt Spray Testing and also check appearance color of plating.

IMPACT TESTING


The testing is based on two conditions

1. **Normal Temperature:** $23^{\circ}\text{C} \pm 5^{\circ}\text{C}$, $H=W/P=2\text{FP}$
2. **Low Temperature :** $-25^{\circ}\text{C} \pm 3^{\circ}\text{C}$ Stay in the fridge more than 2 hours, ($H=W/P=0.6\text{FP}$) select 3 points of the blade to be impacted.

FINAL INSPECTIONS

After the blades are assembled with handle, we start to do final inspection before packing and shipping out which are as:

1. **Check** straight line between blade and handle
2. **Ensure** the handle is clean
3. **Magnetize** all blades.




VDE INSPECTION / TESTING PROCESS



High Voltage Testing

"Quality Has No Compromise"

Especially for VDE 1000V insulated screwdrivers. We test our insulated screwdrivers piece by piece on our High Voltage Testing Machine. During the testing, the voltage must be 12000V-13000V.



Impact Testing

The testing is based on two conditions:

1. **Normal Temperature** : $23^{\circ}\text{C} \pm 5^{\circ}\text{C}$,
 $H=W/P=2\text{FP}$
2. **Low Temperature** : $-25^{\circ}\text{C} \pm 3^{\circ}\text{C}$ stay in the fridge more than 2 hours, ($H=W/P=0.6\text{FP}$)
 select 3 points of the blade to be impacted.



Torque Testing

Follow DIN Standards.



Pull Testing

Pulling insulated screwdrivers on the pulling machine with 50 Newton tester



Fire Testing

The testing samples put on the fire with 3.7 Million joule/ m^3 10 second then turn-off the fire. The height of burning can not over 120mm.

SCREWDRIVER BLADES & TIPS



Blade Material:

- A S2 Steel
Hardness : HRC 58-60
Torque : Up 10% from Cr-Mo
- B Chrome-Molybdenum Steel (Cr-Mo Steel)
EMARK standard offer
Hardness : HRC 54-56 (Slotted HRC 52-54)
Torque : Up 30% from Cr-V
- C Chrome-Vanadium Steel (Cr-Mo Steel)
Hardness : HRC 50-52
Torque : meet DIN


Standard Process for Tip:



- without or with black finish guarantees high precision with resistant erosion.



- Magnetized Tip





Handle Size List (mm)

Model Blade Ø	Model 160	Model 200	Model 300	Model 330	Model 520	Model 600	Model 700	Model 710	Model 730	Model 750	Model 800
3.0mm	X	15x56	23x75	25x82	X	23x82	24x77	27.5x84	26.5x89	23x78	22x74
4.0mm	X	X	29x91	25x82	X	28x96	28x88	27.5x84	26.5x89	28x92	27x92
5.0mm	X	20x80	29x91	32.5x106	42x125	28x96	28x88	31x94	33.5x105	28x92	27x92
6.0mm	26x112	24x90	32x103	32.5x106	42x125	33x110	32x101	33.5x104	33.5x105	33x110	32x110
8.0mm	28x113	28x100	36x114	35x114	X	38x125	36x115	37.5x113.5	36x119	33x110	35x118
10.0mm	31x125	X	36x114	35x114	X	38x125	39x125	X	36x119	38x120	38x125
Stubby	31x46	28x45	X	34x53	X	35x55	32x50	X	35x55	32x54	32x55



MODEL #A380

Regular



Hex Bolster




Go Through




**Large Volum
Ergonomically Designed,
4-Component Handle**

Material: PP / TPR
Logo Plate: ABS Chrome Plated
Top Cap: PP

Go Through Structure



Blade Diameter	Handel Size
2.5 / 3mm	75 5x23
4 / 5 / 5.5 mm	92x28
6 / 6.5mm	110x33
8 / 10 mm	122x36.5
Stubby for 5 / 5.5/ 6 /6.5mm	56.5x31.5



Go-Through
Impact End



Hex Bolster Blade
for enhancing
Turning Strength



Allen Key Recess
for enhancing
Turning Strength



VPA Certificate / DIN Standard



with hanging hole



tip's symbol
recognizable cap



Round Shank
Cr-Mo steel



Hex Shank (Slotted tip is Cr-Mo)
S2 steel



Hex Shank (Slotted tip is Cr-Mo)
S2 steel

hex recession
impact end



Regular Screwdriver

E-MARK Standard Sizes

Slotted / Cabinet

Slotted / Cabinet 3.0x0.5x75
Slotted / Cabinet 3.0x0.5x100
Slotted / Cabinet 4.0x0.8x80
Slotted / Cabinet 4.0x0.8x100
Slotted 10.0x1.6x200

Phillips

PH#0x75

Pozidriv

PZ#0x75

Star Tamper

Star

T5x3.0x60
T6x3.0x60
T7x3.0x60
T8x3.0x60
T9x4.0x60
T10x4.0x80
T15x4.0x80
T20x4.0x100
T25x5.0x100
T27x5.0x100
T30x6.0x100
T40x8.0x125
T45x8.0x125



- Screwdriver with Hex Bolster
- Go Through Screwdriver

E-MARK Standard Sizes

Slotted

Slotted 5.5x1.0x100
Slotted 5.5x1.0x125
Slotted 6.5x1.2x125
Slotted 6.5x1.2x150
Slotted 8.0x1.2x150
Slotted 8.0x1.2x175

Phillips

PH#1x80
PH#1x100
PH#2x100
PH#2x150
PH#3x150
PH#4x200

Pozidriv

PZ#1x80
PZ#1x100
PZ#2x100
PZ#2x150
PZ#3x150
PZ#4x200



Long Blade Screwdriver

E-MARK Standard Sizes

Slotted

Cabinet 5x250
Cabinet 5x300
Cabinet 6x250
Cabinet 6x300

Phillips

PH 2x250
PH 2x300
PH 3x250
PH 3x300



Stubby Screwdriver

E-MARK Standard Sizes

Slotted

SL5.5x1.0x38
SL6.5x1.2x38

Phillips

PH#1x38
PH#2x38

Pozidriv

PZ#1x38
PZ#2x38



6PCS SCREWDRIVER SET



Code	Composition	Packing
T38756	⊖ 3.0x100 / 4.0x100mm ⊖ 5.5x125 / 6.5x150mm ⊕ #0x75 / #1x100mm	Color Box or Double Blister Carded
T38757	⊕ Torx Tamper T10x80 / T15x80mm T20x100 / T25x100mm T30x100 / T40x125 (8PCS SET =T38757 +T8x60/T27x100mm)	

8PCS SCREWDRIVER SET



Code	Composition	Packing
T38705 for Regular	⊖ 3.0x75 / 4.0x80mm	I-Beam Plastic Holder
T38709 for HB	⊖ 5.5x100 / 6.5x125mm	
T38706 for Go Through	⊕ #1x80 / #2x100mm ⊕ #1x80 / #2x100mm	

19 PCS MULTI-PURPOSE SCREWDRIVER SET (LARGE TRAY)

Code T38719

Composition

- 6 PCS Hex Shank Go-Through Screwdrivers
 - ⊖ 5.5 x 100, 6.5 x 125 and 8 x 150 mm
 - ⊕ No.1 x 100, No.2 x 125 and No.3 x 150 mm
- 2 PCS Round Shank Screwdrivers
 - ⊖ 3.5 x 75 mm
 - ⊕ No.0 x 60 mm
- 8 PCS Torx Screwdrivers
 - ⊕ T-8 x 75, T-10 x 75, T-15 x 100, T-20 x 100, T-25 x 100, T-27 x 100, T-30 x 100 and T-40 x 125 mm
- 3 PCS Stubby Screwdrivers
 - ⊖ 6.5 x 38 mm
 - ⊕ No.1 x 38 mm, No.2 x 38 mm






MODEL #A380 NUTDRIVER

Material: Chrome Vanadium Steel

Finish: Chrome Plated Satin Finish

Handle: PP / TPR Logo Plate: ABS Chrome Plated

Top Cap - Tip Symbol: PP in Gray Color



Long Socket

Code	A(mm)	a	ø	D	E	F
T38909	8L	150	7.0	11.3	7	77
T38910	9L	150	7.0	13.6	8	77
T38911	10L	150	7.0	13.6	8	77
T38912	11L	150	7.0	17	8	77
T38913	12L	150	7.0	17	10	77
T38914	13L	150	7.0	20	10	77
T38915	14L	150	7.0	20	10	77



Short Socket

Code	A(mm)	a	ø	D	E	F
T38805	5	150	7.0	9	4	42
T38806	5.5	150	7.0	9	4	42
T38807	6	150	7.0	9	4	42
T38808	7	150	7.0	11.3	5	42
T38809	8	150	7.0	11.3	7	42
T38810	9	150	7.0	13.6	8	42
T38811	10	150	7.0	13.6	8	42
T38812	11	150	7.0	17	8	42
T38813	12	150	7.0	17	10	42
T38814	13	150	7.0	20	10	42
T38815	14	150	7.0	20	10	42

6PCS NUTDRIVER SET



Packing: Plastic Inner Tray + Color Box

Code	Composition
T38754	Short Socket 6, 8, 10, 11, 12, 13x 150mm



MODEL #A380

INSULATED SCREWDRIVER



VDE Certificate No. 40033347




Material: Chrome-Molybdenum Steel, Black & Magnetic Tip

Blade Coating: PP in Red Color


Handle Material : PP in Yellow Color, TPR in Red Color, Logo Plate ABS in Red Color

Top Cap - Tip Symbol - PP in Gray Color



Code	Size
 Slotted	
T39201	SL2.5x0.4x80
T39202	SL3.0x0.5x100
T39203	SL3.5x0.6x100
T39204	SL4.0x0.8x100
T39205	SL5.5x1.0x125
T39207	SL6.5x1.2x150
T39208	SL8.0x1.2x175
 Phillips	
T39219	PH#0x75
T39220	PH#1x100
T39221	PH#2x100
T39222	PH#3x150
 Pozidriv	
T39237	PZ#0x75
T39238	PZ#1x100
T39239	PZ#2x100
T39240	PZ#3x150

Recessed Type is Available





6PCS INSULATED SCREWDRIVER SET



Code	Composition	Packing
T38758	\ominus 3.0x100 / 4.0x100mm \ominus 5.5x125 / 6.5x150mm \oplus #1x100 / #2x100mm	Color Box or Double Blister Carded

8PCS SCREWDRIVER SET



Code	Composition	Packing
T38718	\ominus 3.0x100 / 4.0x100mm \ominus 5.5x125 / 6.5x150mm \oplus #0x75 / #1x100 / \oplus #2x100mm Tester 3.0x140mm	I-Beam Plastic Holder

TESTER



Material: Chrome-Vanadium Steel
 Handle Matrial: PVC
 Packing: Bulk

Code	Size
B68000	3.0x140mm AC 125-500V
T68201	3.0x140mm AC 100-500V

DIGITAL TESTER



Material: Chrome-Vanadium Steel
 Handle Matrial: ABS
 Packing: Bulk or Blister Carded

Code	Size
T68204	3.5x140mm AC/DC 12-250V
T68205	3.0x135mm AC/DC 12-250V



MODEL #610

Handle Material: PP / TPR

Material: Chrome-Molybdenum Steel

Finish: Chrome Plated Satin Finish with Black Tip

Packing: in Bulk or Blister Carded

(Toothbrush type for #620)



Handle Size:

#610 : 110x18mm

#620 : 98x17mm

MODEL #620

Standard Length for Blade: 50mm

Color ring

Logo injected



Toothbrush
Type Packing



Display Rack

Code for #610	Code for #620	Size
Phillips		
T66108-00	T66180	#00
T66108-0	T66181	#0
T66108-1	T66184	#1
Slotted		
T66108-10	T66161	1.0x0.25
T66108-15	T66162	1.5x0.23
T66108-20	T66163	2.0x0.4
T66108-25	T66164	2.5x0.4
T66108-30	T66167	3.0x0.5
T66108-35	T66171	3.5x0.6
Star		
T66109-05	T66192	T5
T66109-06	T66193	T6
T66109-07	T66194	T7
T66109-08	T66195	T8
T66109-09	T66196	T9
T66109-10	T66197	T10
Star Tamper		
T66110-05	T66231	T5
T66110-06	T66232	T6
T66110-07	T66233	T7
T66110-08	T66234	T8
T66110-09	T66235	T9
T66110-10	T66236	T10
Hex		
T66118-H15	T66601	1.5
T66118-H20	T66602	2.0
T66118-H25	T66603	2.5
T66118-H30	T66604	3.0
Ball Point		
T66117-15	T66611	1.5
T66117-20	T66612	2.0
T66117-25	T66613	2.5
T66117-30	T66614	3.0



SCREWDRIVER SET

(Model #610 is also available for this series.)

6 IN 1 SET

Code T66152



Composition	Material
⌀ 1.5, 2.5, 3.0mm ⊕ PH00, PH0, PH1	Cr-V

8 IN 1 SET

Code T66159



Composition	Material
⌀ 1.0, 1.2, 1.5, 1.8, 2.0, 2.5mm ⊕ PH00, PH0	Cr-Mo

12 IN 1 SET

Code T66151



Composition	Material
⌀ 1.5, 2.5, 3.0mm ⊕ PH00, PH0, PH1 ⊕ T6, T7, T8, T9 ⊕ HEX 1.5, 2.0mm	Cr-V

30 IN 1 SET

Code T66156



Composition	Material
⌀ 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm ⊕ PH00, PH00, PH0, PH1 ⊕ PZ0, PZ1 ⊕ T4, T5, T6, T7, T8, T9, T10, T15, T20 ● HEX 0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm Hex Extension Bar 4.0x90mm	Cr-Mo Cr-V

6PCS SET



Code	Composition	Material
T66153	⌀ 1.5, 2.0, 3.0mm ⊕ PH00, PH0, PH1	Cr-Mo
T66154	⊕ T5, T6, T7, T8, T10, T15	Cr-Mo
T66155	⊕ T5, T6, T7, T8, T10, T15	Cr-Mo

HIGH PRECISION TIPS!!

6PCS Precision Screwdrivers




⌀ 1.4, 2.0, 2.4mm
⊕ PH00, PH0, PH1

LAUNCHER

PATENT SMART HOLDING BOX



Applied at high precision industries:
3C, Watches, Glasses...



Display Box
(12 SETS)



HANDLE MODEL: A380

14PCS RATCHET & MAGNETIC BIT HOLDER SCREWDRIVER SET



Steel Material: Bits - S2, Bits Holder - Cr-V
Packing: Double Blister Carded

Code	Composition
T38793	11PCS Bits \ominus 4,5,6 / \oplus #1,#2 / \oplus #1,#2 \oplus T10,T15,T20, Adaptor 2PCS Magnetic Bits Holder: 60mm & 100mm 1PC Ratchet Bits Driver

21PCS RATCHET SCREWDRIVER SET



Steel Material: Cr-V
Packing: Double Blister Carded

Code	Composition
T38792	11PCS Bits \ominus 4,5,6 / \oplus #1,#2 / \oplus #1,#2 \oplus T10,T15,T20, Adaptor 8PCS Socket 6,7,8,9,10, 11,12,13mm 1PC Magnetic Bits Holder 100mm 1PC Ratchet Bits Driver

HANDLE MODEL: #800

12PCS RATCHET SCREWDRIVER SET



Steel Material: Cr-V
Packing: Blister Carded

Code	Composition
T76283 & T76285	11PCS Bits \ominus 4,5,6 / \oplus #1,#2 / \oplus #1,#2 \oplus T10,T15,T20, Adaptor Ratchet Bits Driver

20PCS RATCHET SCREWDRIVER SET



Steel Material: Cr-V
Packing: Blister Carded

Code	Composition
T76284 & T76286	11PCS Bits \ominus 4,5,6 / \oplus #1,#2 / \oplus #1,#2 \oplus T10,T15,T20, Adaptor 8PCS Socket 6,7,8,9,10, 11,12,13mm 1PC Ratchet Bits Driver or Flexible Ratchet Bits Driver



HANDLE MODEL: A380 OR #800

12PCS MAGNETIC BIT HOLDER SCREWDRIVER SET



Steel Material:Cr-V
Packing:Blister Carded

Code	Composition
T38790	11PCS Bits \ominus 4,5,6 / \oplus #1,#2 / \oplus #1,#2 T10,T15,T20, Adaptor Bits Holder with Magnetic 1/4" x 100 mm

6PCS DRIVER BITS SET



Steel Material:Cr-V
Packing:Blister Carded

Code	Composition
T38591	1-Way Power Bits -110mm \bullet 2 / 2.5 / 3 / 4 / 5 / 6mm
T38592	2-Way Power Bits - 110mm \oplus T5 & T 40 / T6 & T30 / T7 & T27 / T8 & T25 / T9 & T20 / T10 & T15
T38593	1- Way & 2-Way Power Bits \ominus 6 / \oplus # 2 - 110 mm ; \oplus # 2 / PH # 2 -110mm ; # 2 / PH # 2 - 65 mm ; # 2 / PH # 2 - 150 mm

6 IN 1 (4 WAY) SCREWDRIVER



Steel Material:Cr-V
Packing:Blister Carded

Code	Composition
T38532	Double Bits- \ominus 5.0/ \oplus #1, \ominus 6.0/ \oplus #2 Socket 6.0 / 8.0 mm

TWO WAY SCREWDRIVER



Steel Material:Cr-Mo
Packing:Blister Carded

Code	Composition
T38529	Two Way Stubby \ominus 6.0 / \oplus #2 (Blade Length 63mm)
T38530	Two Way Screwdriver \ominus 6.0 / \oplus #2 (Blade Length 125mm)



PACKING:ALL W/BLISTER CARDED



MULTI-FUNCTION SETS

13 IN 1 NUTDRIVER SCREWDRIVER SET



Material: Cr-V
Handle: ABS / TPR

Code	Composition
T83625	6 / 8L / 10L / 11L / 12L / 13L / 14L 4.5 / 5.5 / 6.5 PH1 / PH2 / PH3

20 IN 1 SCREWDRIVER SET



Material: Cr-V (S2 is optional)
Handle: Modle #700 / #800 PP/ TPR
Packing: Blow Case (+Blister is optional)

Code	Composition
T83601	⊖ 4.0/ 4.5/ 5.5/ 6.5 ⊕ PH1/ PH2/ PH3 ⊕ PZ1/ PZ2/ PZ3 ● 3/ 4/ 5/ 6 ⊗ T10/ T15/ T20/ T25/ T30/T40

10 IN 1 NUTDIVER SET



Material: Cr-V
Handle: ABS / TPR

Code	Composition
T83620	5 / 6 / 7 / 8L / 9L / 10L / 11L / 12L / 13L / 14L
T83623	5 / 5.5 / 6 / 7 / 8L / 9L / 10L / 11L / 12L / 13L

8 IN 1 CAR HANDLE



Material: S2
Handle: ABS

Code	Composition
T83503	Bits Holder ⊖ SL 4.0/6.0mm, ⊕ PH1/PH2/PH3 ⊕ PZ1/PZ2



PICK UP BAR



Code	Description
T38523	Magnetic Capacity 3KG / 510mm Length
T38521	Magnetic Capacity 1KG / 510mm Length

FILE TOOLS



Code	Description
T38552	Files 《Round》 6x200mm
T38553	Files 《Square》 6x200mm
T38554	Files 《Triangle》 6x200mm
T38555	Files 《Half-round》 6x200mm
T38556	Files 《Flat》 6x200mm

FLEXIBLE DRIVER



Coating Material: PVC Injection Cover
or Rubber Tube

Code for PVC	Code for Rubber	Description
T38541	T38536	6X150mm
T38542	T38537	7X150mm
T38543	T38538	8X150mm
T38544	T38539	10X150mm
T38545	T38540	1/4"X150mm

REMOVAL TOOLS




FLEXIBLE BIT HOLDER 《NON COATED》



Code	Description
T38549	1/4"X190mm
T38550	1/4"X250mm

Code	Description
T38560	Gasket Scraper 8X150mm
T38561	Clip Remover 9X125mm
T38562	Door Upholstery Remover 9.5X125mm
T38563	Door Upholstery Remover 6X90mm
T38564	Scratch Awl/Rubber Hook 8X90mm






BITS SERIES




ALL THE TIP TYPES ARE MADE BY UNIVERSAL STANDARD WITH 6.35 MM, 8.0 MM AND 10.0 MM HEX SHANK STEEL.




E-MARK STANDARD PACKING

Bits Packing	Insert Bits	Power Bits			
	25mm	50mm	70mm	90mm	110mm
Bulk	✓	✓	✓	✓	✓
 Small Blister	in 10pcs	in 3pcs			
 Middle Blister	in 20pcs	in 10pcs			
 Big Plastic Box	in 50pcs	in 20pcs			
 Plastic case 1		10pcs	10pcs		
 Plastic case 2				10pcs	10pcs



Display Rack



Display Stand



ACCESSORIES


1/4" HEX. TO 1/4" DR. SOCKET ADAPTER

50mm



1/4" QUICK-CHUCK BITS HOLDER

60mm



1/4" MAGNETIC BITS HOLDER

50mm / 100mm



1/4" MAGNETIC BITS HOLDER

100mm
#A380 Handle



1/4" QUICK-CHUCK BIT DRIVER

40mm
#A380 Handle



1/4" QUICK-CHUCK BIT DRIVER

150mm
#A380 Handle



1/4" RATCHET BITS DRIVER

#A380 Handle



1/4" T-BAR MAGNETIC BITS HOLDER

100mm



1/4" T-BAR QUICK-CHUCK BIT DRIVER

40mm



1/4" T-BAR RATCHET BIT DRIVER





MODEL #A380 BITS SET

Model A380 Injection Bits Box Is A New Generation for Highly-Convenient Storage for Bits while Using in Working Area.

Bits Material: S2 Steel (Cr-V is optional)

Box Material: PP

Paking: Double Blister

17 PCS BITS SET

Code T38450

Composition

- ⊖ 4.0, 5.5, 7.0mm
- ⊕ PH0, PH1, PH2, PH3
- ⊕ PZ0, PZ1, PZ2, PZ3
- ⊕ T-10, 15, 20, 25, 30
- 1/4" Hex Quick-Chuck Bit Holder



Reversible Belt Hanger



33 PCS BITS SET

Code T38414

Composition

- ⊖ 3.0, 4.0, 5.0, 5.5, 6.5mm
- ⊕ PH1, PH2(2), PH3
- ⊕ PZ1, PZ2(2), PZ3
- ⊕ T-8, 9, 10, 15(2), 20(2), 25(2), 27, 30, 40
- ⬢ 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm, Adapter
- 1/4" Hex Quick-Chuck Bit Holder



66 PCS BITS SET

Code T38470

Composition


- ⊖ 3.0, 4.0, 5.0, 5.5, 6.5mm
- ⊕ PH1, PH2(2), PH3
- ⊕ PZ1, PZ2(2), PZ3
- ⊕ T-8, 9, 10, 15(2), 20(2), 25(2), 27, 30, 40
- ⬢ 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm, Adapter
- 1/4" Hex Quick-Chuck Bits Holder
- ⊕ T-8, 10, 15, 20, 25, 27, 30, 40
- ⊕ 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0mm
- ⊕ NO1, NO2, NO.3, NO.4
- ⊕ NO.4, 6, 8, 10
- ⊕ 4, 6, 8, 10 mm
- ⊕ M5, M6, M8, M10
- 1/4" Hex. Magnetic Bit Holder (Stainless Head)





EXCHANGEABLE

**NEW
MULTI-COMPONENT
INJECTION CASE**



Part A

Flexible Contents.
Exchange For Bits.
-25mm Insert Bits
-50mm Power Bits
-110mm Power Bits
-Metric Nutdriver
-Imperial Nutdriver



*with or without
Extension Bar (Magnetic Bit Holder 100mm)*



Part B

Two Options
-Quick-Chuck Bit Driver
-Ratchet Bit Driver



Part C

Fixed With Accessories
-Quick-Chuck Bit Holder
-Bit Coupler
-Socket Adapter
-Hook Eyelet (Cup)



BITS SET SERIES-With New Plastic Case

Bits Material: S2 Steel

Tools Meet DIN Standard

61 PCS POWER BIT DRIVER & ACCESSORIES SET

Code T39301

Composition

48 PCS 1/4" Hex. Insert Bits (25 mm)

⊖ 2.5, 3.0(2), 4.0, 5.0, 5.5, 6.0, 7.0mm

⊕ #0, #1, #2, #3 (2EA)

⊕ PZ0, PZ1, PZ2, PZ3 (2EA)

⊕ T-8, 10, 15, 20, 25, 27, 30, 40

⊕ T-8, 10, 15, 20, 25, 27, 30, 40

⬢ 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0mm

8 PCS 1/4" Hex. Power Bits (110 mm)

⊖ 5.5, 7.0mm

⊕ #1, #2

⊕ PZ1, PZ2

⊕ T-15, 20

1 PC 1/4" Hex. Quick-Chuck Bit Driver

1 PC 1/4" Hex. Quick-Chuck Bit Holder

1 PC 1/4" Hex. To 1/4" Dr. Bit Coupler

1 PC 1/4" Hex. To 1/4" Dr. Socket Adapter

1 PC Hook Eyelet (Cup)



101 PCS POWER BIT DRIVER & ACCESSORIES SET

Code T39303

Composition

64 PCS 1/4" Hex. Insert Bits (25 mm)

⊖ 3.0, 4.0(2), 5.0(2), 6.0(2), 7.0mm

⊕ #0, #1, #2, #3 (2EA)

⊕ PZ0, PZ1, PZ2, PZ3 (2EA)

⊕ T-8, 10, 15, 20, 25, 27, 30, 40

⊕ T-8, 10, 15, 20, 25, 27, 30, 40

⬢ 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0mm

⊕ #1, #2, #3, #4

⊕ #4, #6, #8, #10

⊕ 4, 6, 8, 10mm

⊕ M5, M6, M8, M10

32 PCS 1/4" Hex. Power Bits (50 mm)

⊖ 3.0, 4.0, 5.0, 6.0(4), 7.0mm

⊕ #1, #2(2), #3

⊕ PZ1, PZ2(2), PZ3

⊕ T-10, 15(2), 20(2), 25(2), 27, 30, 40

⬢ 2.5, 3.0, 4.0, 5.0, 5.5, 6.0mm

1 PC 1/4" Hex. Quick-Chuck Bit Driver

1 PC 1/4" Hex. Quick-Chuck Bit Holder

1 PC 1/4" Hex. To 1/4" Dr. Bit Coupler

1 PC 1/4" Hex. To 1/4" Dr. Socket Adapter

1 PC Hook Eyelet (Cup)





121 PCS RATCHET BIT DRIVER & ACCESSORIES SET

Code T39305

Composition

96 PCS 1/4" Hex. Insert Bits (25 mm)

⊖ 3.0, 4.0, 5.5, 7.0mm (2EA), 6.0mm (8)

⊕ #0, #1, #2, #3(2EA), #1, #2(4EA)

⊕ PZ0, PZ1, PZ2, PZ3(2EA)

⊕ T-8, 10, 15, 20, 25, 27, 30, 40

⊕ T-8, 10, 15, 20, 25, 27, 30, 40

⬢ 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0 mm

⦿ 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0mm

□ S0, S1, S2, S3

▲ #1, #2, #3, #4

● #4, #6, #8, #10

⊕ 4, 6, 8, 10mm

① #0, #1, #2, #3

⊙ M5, M6, M8, M10

20 PCS 1/4" Hex. Nutdriver

Metric 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm

Imperial 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"

1 PC 1/4" Hex. Quick-Chuck Bit Driver

1 PC 1/4" Hex. Quick-Chuck Bit Holder

1 PC 1/4" Hex. To 1/4" Dr. Bit Coupler

1 PC 1/4" Hex. To 1/4" Dr. Socket Adapter

1 PC Hook Eyelet (Cup)



133 PCS POWER BIT DRIVER & ACCESSORIES SET

Code T39306

Composition

128 P S 1/4" Hex. Insert Bits (25 mm)

⊖ 3.0, 4.0, 5.5, 7.0mm(2EA), 6.0mm(8)

⊕ #0, #1, #2, #3(2EA), #1,#2(4EA)

⊕ PZ0, PZ1, PZ2, PZ3(2EA), PZ1, PZ2(4EA)

⊕ T-8, 10, 15, 20, 25, 27, 30, 40(2EA)

⊕ T-8, 10, 15, 20, 25, 27, 30, 40

⬢ 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0mm(2EA)

⦿ 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0mm

⬢ 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4" (IMPERIAL)

□ S0, S1, S2, S3

▲ #1, #2, #3, #4

● #4, #6, #8, #10

⊕ 4, 6, 8, 10mm

① #0, #1, #2, #3

⊙ M5, M6, M8, M10

1 PC 1/4" Hex. Quick-Chuck Bit Driver

1 PC 1/4" Hex. Quick-Chuck Bit Holder

1 PC 1/4" Hex. To 1/4" Dr. Bit Coupler

1 PC 1/4" Hex. To 1/4" Dr. Socket Adapter

1 PC Hook Eyelet (Cup)





96 PCS POWER BIT DRIVER & ACCESSORIES SET

Code T39311

Composition

48 PCS 1/4" Hex. Insert Bits (25 mm)

⊖ 3.0, 4.0(2), 5.0(2), 6.0(2), 7.0mm

⊕ #0, #1, #2, #3 (2EA)

⊕ PZ0, PZ1, PZ2, PZ3 (2EA)

⊕ T-8, 10, 15, 20, 25, 27, 30, 40

⊕ T-8, 10, 15, 20, 25, 27, 30, 40

⬢ 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0mm

32 PCS 1/4" Hex. Power Bits (50 mm)

⊖ 3.0, 4.0, 5.0, 6.0(4), 7.0mm

⊕ #1, #2(2), #3

⊕ PZ1, PZ2(2), PZ3

⊕ T-10, 15(2), 20(2), 25(2), 27, 30, 40

⬢ 2.5, 3.0, 4.0, 5.0, 5.5, 6.0mm

10 PCS 1/4" Hex. Nutdriver

Metric 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm

1 PC 100mm Magnetic Bits Holder

(Stainless Bits Holder + Sandblast Shank)

1 PC 1/4" Hex. Quick-Chuck Bit Driver

1 PC 1/4" Hex. Quick-Chuck Bit Holder

1 PC 1/4" Hex. To 1/4" Dr. Bit Coupler

1 PC 1/4" Hex. To 1/4" Dr. Socket Adapter

1 PC Hook Eyelet (Cup)



69 PCS BITS SET



62 PCS BITS SET



122 PCS BITS SET



102 PCS BITS SET



BITS SERIES

TWO END POWER BITS SET

Tip: PH 2 / PH 2

Material: S2 (two options)

Class A: Hardness HRC 58~60

Class B: Hardness HRC 56~68



(Pouch)



(Blister)



(Belt Clip)



(Plastic Case)

Length	Finish	Packing	Available Material
65mm	Chrome / Brown / Satin	10PCS per Belt Clip with Blister Carded / Plastic Case / Double Blister	Class A & B
110mm			
150mm	Chrome / Brown	10PCS per Double Blister	Class A
200mm		2PCS per Transparent Plastic Pouch	
250mm			
300mm			

NUT SETTER

MAGNETIC NUT SETTER (Non-Magnet is Optional)

Standard 1/4" Shank Fits Most Power Tools and Chuck Adapters.

Having A Stronger Magnetic Capacity for Excellent Holding.

SPRING NUT SETTER

SPRING NUT SETTER for Stainless Screw!



The Stainless Screw can not keep hold in Magnetic Nut Setter.

The Spring Nut Setter will hold it exactly and efficaciously.
Avoid Stainless screw to falling while operating.

Material: Cr-V / Packing: Double Blister

Code for Magnetic Nut Setter	Code for Spring Nut Setter	Size	Q'ty per Blister
T82700	T82800	6x65mm	5PCS
T82711	T82801	1/4"x65mm	5PCS
T82702	T82803	7x65mm	5PCS
T82703	T82804	8x65mm	5PCS
T82704	T82805	9x65mm	3PCS
T82705	T82807	10x65mm	3PCS
T82706	T82808	11x65mm	3PCS
T82707	T82809	12x65mm	3PCS
T82708	T82810	13x65mm	3PCS
T82709	T82811	14x65mm	2PCS



Double Blister



E-MARK HEX KEY CONCEPT



MEET
DIN
STANDARD

Level 1

Anti-slip Color Grip Series

S2 Steel + PP Coating

Extra Long
Only

Diamond Head/ Hex
Hex / Hex
Star
Star Tamper Resistant

Level 2

S2 Steel Series

Hardness: HRC 58-60

Extra Long
Long

Diamond Head/ Hex
Hex / Hex
Star
Star Tamper Resistant

Level 3


Cr-V Steel Series

Hardness: HRC 50-52



Extra Long
Long
Standard

Ball Point/ Hex
Hex / Hex
Star
Star Tamper Resistant

Diamond Head (for S2 only) VS. Ball Point





• Hex



• Diamond Head

$B = A$




• Ball Point

$B < A$


DIAMOND HEAD




DIAMOND HEAD



BALL POINT



BALL POINT



Features

- 1.Enlarged Contactation Surface
- 2.Screw Within Angle
- 3.Avoid Idling
- 4.Patented

MODEL #856

Material: S2 Steel

Finish: Chrome Plated Satin Finish

Injected Coating: PP

Standard Packing: Blaster Carded or Half Double Blister



Composition:

⬡ Diamond-Head / Hex, ⬢ Hex / Hex:
1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Code	Tip	Length	BOX / CTN
T85641	⬡	Extra Long	6/48
T85642	⬢		

Composition:

⊛ Star , ⊛ Star Tamper Resistant:
T10, T15, T20, T25, T27, T30, T40, T45, T50

Code	Tip	Length	BOX / CTN
T85643	⊛	Extra Long	6/48
T85644	⊛		



Features:


- Easy For Handling
- Management by Color and Size Identify.



BLISTER CARED




HALF DOUBLE BLISTER



MODEL #A380

The Features for the New Design Holder.



Material: S2 Steel or Chrome-Vanadium Steel
Standard Finish: Chrome Plated Satin Finish
Standard Packing: Blister Carded



Composition:

⬠ Diamond-Head (S2), ⬡ Ballpoint (Cr-V) / Hex ,

⬢ Hex / Hex:

1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

⬤ Star , ⬥ Star Tamper Resistant (Hex Bar):

T10, T15, T20, T25, T27, T30, T40, T45, T50

Code for S2	Code for Cr-V	Tip	Length
T38680	T38630	⬠	Extra Long
T38679	T38629	⬡	
T38683	T38635	⬢	
T38684	T38636	⬤	
T38678	T38628	⬥	Long
T38677	T38627	⬢	
T38681	T38633	⬤	
T38682	T38634	⬥	
-	T38626	⬠	Standard
-	T38625	⬡	
-	T38631	⬢	
-	T38632	⬤	

MODEL #857

Material: S2 Steel or Chrome-Vanadium Steel
Standard Finish: Chrome Plated Satin Finish
Standard Packing: Blister Carded



Composition:

⬢ Diamond-Head (S2), ⬢ Ballpoint (Cr-V) / Hex ,
⬢ Hex / Hex:

1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

⬢ Star , ⬢ Star Tamper Resistant

T10, T15, T20, T25, T27, T30, T40, T45, T50

Code for S2	Code for Cr-V	Tip	Length
T85704	T85733	⬢	Extra Long
T85705	T85734	⬢	
T85706	T85735	⬢	
T85707	T85736	⬢	
T85808	T85749	⬢	Long
T85809	T85750	⬢	
T85810	T85751	⬢	
T85811	T85752	⬢	
-	T85753	⬢	Standard
-	T85754	⬢	
-	T85755	⬢	
-	T85756	⬢	

MODEL #846

Material: S2 Steel or Chrome-Vanadium Steel
Standard Finish: Chrome Plated Satin Finish
Standard Packing: Blister Carded




Composition:

⬢ Diamond-Head (S2), ⬢ Ballpoint (Cr-V) / Hex ,
⬢ Hex / Hex:

1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Code for S2	Tip	Length
T84601	⬢	Extra Long
T84602	⬢	
T84603	⬢	Long
T84604	⬢	



MODEL #851

Holder Material: Aluminum

Material: Chrome-Vanadium Steel

Standard Finish: Chrome Plated Finish

Standard Packing: Hanger



3PCS FOLDING HEX KEY SET



Packing: Double Blister

Code	Composition	Holder Color
T85100	6PCS: Hex 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	Blue
T85101	6PCS: Ball Point 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	Yellow
T85102	6PCS: Star Tamper T9, T10, T15, T20, T25, T30	Red
T85104	6PCS: Hex 3.0, 4.0, 5.0, 6.0mm, SL 6.0mm, PH2	Green

Code	Composition
T85160	T85101 +T85102 +T85104

MODEL #852

Holder Material: PP / TPR

Material: Chrome-Vanadium Steel

Standard Finish: Chrome Plated Satin Finish

Standard Packing: Blister Carded (or with hanger)




Code	Composition	Holder Colors
T85206	7PCS: Hex 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	Red / Black
T85215	8PCS: Star T8, T10, T15, T20, T25, T27, T30, T40	Blue / Black
T85225	8PCS: Star Tamper T8, T10, T15, T20, T25, T27, T30, T40	Blue / Black



Blister Carded

MODEL #645

T-BAR HEX KEY




Diamond Head-S2, Ball Point-Cr-V / Hex & Hex / Hex

Tip Size	Handle Size / mm	Length H1 / mm	Length L1/mm		Code Reference			
			Long Length	Standard Length	Diamond Head / Hex		Hex / Hex	
					Long S2	Standard Cr-V	Long S2	Standard Cr-V
1.5mm	81x49.5	12	100	75	T85410	T85359	T85409	T85379
2.0mm	81x49.5	12	100	75	T85411	T85360	T85419	T85380
2.5mm	81x49.5	12	100	75	T85412	T85361	T85420	T85381
3.0mm	81x49.5	15	100	75	T85413	T85362	T85421	T85382
4.0mm	81x49.5	15	100	80	T85414	T85363	T85422	T85383
5.0mm	112x68	15	150	100	T85415	T85364	T85423	T85384
6.0mm	112x68	15	150	100	T85416	T85365	T85424	T85385
8.0mm	112x68	20	200	150	T85417	T85366	T85425	T85386
10.0mm	112x68	20	200	150	T85418	T85367	T85426	T85387


Star & Star Tamper Resistant



Tip Size	Handle Size / mm	Length H1 / mm	Length L1/mm		Code Reference			
			Long Length	Standard Length	Star		Star Tamper Resistant	
					Long S2	Standard Cr-V	Long S2	Standard Cr-V
T9 (3.0mm)	81x49.5	12	100	75	T85427	T85390	T85436	T85370
T10 (3.0mm)	81x49.5	12	100	75	T85428	T85391	T85437	T85371
T15 (3.5mm)	81x49.5	12	100	75	T85429	T85392	T85438	T85372
T20 (4.0mm)	81x49.5	15	100	75	T85430	T85393	T85439	T85373
T25 (4.5mm)	81x49.5	15	100	80	T85431	T85394	T85440	T85374
T27 (5.0mm)	112x68	15	150	100	T85432	T85395	T85441	T85375
T30 (6.0mm)	112x68	15	150	100	T85433	T85396	T85442	T85376
T40 (8.0mm)	112x68	20	200	150	T85434	T85397	T85443	T85377
T50 (9.0mm)	112x68	20	200	150	T85435	T85398	T85444	T85378



T-BAR NUTDRIVER



Material:

T-BAR Handle: PP / TPR (logo injected is optional)

Handle Size: 112x68mm

Blade: Chrome-Vanadium Steel

Standard Finish: Chrome Plated Satin Finish

d (Blade Diameter): 7.0mm

L1 (Length): 140mm



Long Socket

Code	A	B	C	D
T85470	7.0	77	5	11.3
T85471	8.0	77	7	11.3
T85472	9.0	77	8	13.6
T85473	10.0	77	8	13.6
T85474	11.0	77	8	17
T85475	12.0	77	10	17
T85476	13.0	77	10	20
T85477	14.0	77	10	20



Short Socket

Code	A	B	C	D
T85451	5.0	42	4	9
T85452	5.5	42	4	9
T85453	6.0	42	4	9
T85454	7.0	42	5	11.3
T85455	8.0	42	7	11.3
T85456	9.0	42	8	13.6
T85457	10.0	42	8	13.6
T85458	11.0	42	8	17
T85459	12.0	42	10	17
T85460	13.0	42	10	20
T85461	14.0	42	10	20

T-BAR SET

**8PCS T-BAR HEX KEY SET
-PACKED WITH I-BEAM HOLDER**




Holder Material: PP

Blade: Chrome-Vanadium Steel (S2 Steel is optional)

Composition: Standard Length

Code	Tip	Composition	Box / Carton
T85485	Ball Point	2.0, 2.5, 3.0, 4.0,	1 / 12
T85486	Hex	5.0, 6.0, 8.0, 10.0mm	
T85487	Star	T10, T15, T20, T25,	
T85488	Star Tamper	T27, T30, T40, T50	



T-BAR SET

9PCS T-BAR HEX KEY SET -PACKED WITH METAL STAND

Stand Color: Black

Blade: S2 Steel

Composition: Long Length

Code	Tip	Composition	Box / Carton
T85490	Diamond Head	1.5, 2.0, 2.5, 3.0, 4.0,	1 / 12
T85491	Hex	5.0, 6.0, 8.0, 10.0mm	
T85492	Star	T9, T10, T15, T20, T25,	
T85493	Star Tamper	T27, T30, T40, T50	



9PCS T-BAR NUTDRIVER SET -PACKED WITH METAL STAND




Stand Color: Black


Blade: Cr-V Steel

Code	Composition	Box / Carton
T85574	Short Socket : 5 / 6 / 7 Long Socket: 8L / 10L / 11 L / 12L / 13L / 14L	1 / 10



PATENT DESIGN





Material: Chrome-Vanadium steel
Handle Material: PP / TPR
Packing Options: Bulk, Blister Carded, Hanger,
Half Double Blister

VPA PLIERS



DIAGONAL CUTTING PLIERS



Code	Inch	Length	mm
T84551	6"	160	
T84552	7"	180	

COMBINATION PLIERS



Code	Inch	Length	mm
T84553	6"	160	
T84554	7"	180	
T84555	8"	200	

LONG NOSE PLIERS



Code	Inch	Length	mm
T84556	6"	160	
T84557	8"	200	

WIRESTRIPPING PLIERS



Code	Inch	Length	mm
T84560	6"	160	

BENT NOSE PLIERS



Code	Inch	Length	mm
T84558	6"	160	
T84559	8"	200	

FLAT NOSE PLIERS



Code	Inch	Length	mm
T84512	6"	160	

DIAGONAL CUTTING PLIERS (Heavy Duty)



Code	Inch	Length	mm
T84565	7"	180	

WATER PUMP PLIERS



Code	Inch	Length	mm
T84562	10"	250	



DIAGONAL CUTTING PLIERS



Code	Inch	Length	mm
T84501	6"	160	
T84502	7"	180	

COMBINATION PLIERS



Code	Inch	Length	mm
T84503	6"	160	
T84504	7"	180	
T84505	8"	200	

LONG NOSE PLIERS



Code	Inch	Length	mm
T84506	6"	160	
T84507	8"	200	

BENT NOSE PLIERS



Code	Inch	Length	mm
T84508	6"	160	
T84509	8"	200	

DIAGONAL CUTTING PLIERS (Heavy Duty)



Code	Inch	Length	mm
T84515	7"	180	

VDE PLIERS



WIRESTRIPPING PLIERS



Code	Inch	Length	mm
T84510	6"	160	

FLAT NOSE PLIERS



Code	Inch	Length	mm
T84552	6"	160	

WATER PUMP PLIERS



Code	Inch	Length	mm
T84516	10"	250	



3PCS VPA PLIERS SET



Packing : Blister Carded

Code	Composition
T84540	6" Diagonal Cutting 7" Combination 8" Long Nose

3PCS VDE PLIERS SET



Packing : Blister Carded

Code	Composition
T84530	6" Diagonal Cutting 7" Combination 8" Long Nose

7PCS VPA SCREWDRIVER & PLIERS SET



Packing : Plastic Case

Code	Composition
T84541	2PCS PLIERS : 6" Diagonal Cutting 7" Combination 4PCS MODEL A380 SCREWDRIVER ⊖ SL 4.0 x 100, 5.5 x 125mm ⊕ PH1 x 100, 2 x 100mm 1PC Tester : 3.0 x 140mm

7PCS VDE SCREWDRIVER & PLIERS SET



Packing : Plastic Case

Code	Composition
T84524	2PCS PLIERS : 6" Diagonal Cutting 7" Combination 4PCS MODEL A380 SCREWDRIVER ⊖ SL 4.0 x 100, 5.5 x 125mm ⊕ PH1 x 100mm, 2 x 100mm 1PC Tester : 3.0 x 140mm

10 PCS TOOL KIT



Packing : Nylon Bag

Code	Composition
T84550	3PCS PLIERS : 6" Diagonal Cutting 7" Combination 8" Long Nose 6PCS MODEL A380 SCREWDRIVER ⊖ SL 3.0 x 100, SL 5.5 x 125mm SL6.5 x 150mm ⊕ PH0 x 75, 1 x 100, 2 x 100mm 1PC Tester : 3.0 x 140mm



56 PCS 1/4" & 1/2" Dr. Socket & Bits Set

Code KB0051

Contents:

1PC 1/2" Dr. Quick Release Ratchet Handle with Blue (P.P) / Black (TPR) / Mirror (ABS)
Triple Injection Grip. (45 Teeth, Oval Head & Gear-to-Gear Type)
11PCS 1/2" Dr. Shallow Socket (6PT)
Sizes: 14, 15, 17, 18, 19, 20, 21, 22, 24, 27, 30 & 32 MM
1PC 1/2" Dr. Universal Joint (Rivet Type)
2PCS 1/2" Dr. 125 & 250 MM Extension Bars
2PCS 1/2" Dr. Spark Plug Sockets: Size: 16 MM & 21 MM
1PC 3/8" Dr. (F) to 1/2" Dr. (M) T-Bar Adapter
1PC 1/4" Dr. Quick Release Ratchet Handle with Blue (P.P) /Black (TPR) /Mirror (ABS)
Triple Injection Grip. (45 Teeth, Oval Head & Gear-to-Gear Type)
11PCS 1/4" Dr. Shallow Socket (6PT) Sizes: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11 and 13 MM
1PC 1/4" Dr. 100 MM Extension Bar
1PC 1/4" Dr. Universal Joint (Rivet Type)
1PC 1/4" Dr.(150 MM)Spinner with Blue(P.P)/Black(TPR)/Mirror(ABS)Triple Injection Grip.
1PC 1/4" Dr. to 1/4" Hexagon Bit Coupler (Spring Type)
22PCS 1/4" Hexagon Bits 25mm (L) with Two Injection Holders
⊖ 2, 3, 4, 5 & 7 MM ⊕ No.1, 2 & 3 ⊗ No.1, 2 & 3
● 2, 3, 4, 5 and 6 MM ⊛ T-10, T-15, T-20, T-25, T-27 and T-30



95 PCS 1/4" & 1/2" Dr. Socket & Bits Set

Code KB0052

Contents:

1PC 1/2" Dr. Quick Release Ratchet Handle with Blue (P.P) / Black (TPR) / Mirror (ABS)
Triple Injection Grip. (45 Teeth, Oval Head & Gear-to-Gear Type)
18PCS 1/2" Dr. Shallow Socket (6PT)
Sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30 & 32 MM
4PCS 1/2" Dr. Deep Socket (6PT) Sizes: 14, 15, 17 and 19 MM
1PC 1/2" Dr. Universal Joint (Rivet Type)
2PCS 1/2" Dr. 125 & 250 MM Extension Bars
2PCS 1/2" Dr. Spark Plug Sockets: Size: 16 MM & 21 MM
1PC 3/8" Dr. (F) to 1/2" Dr. (M) T-Bar Adapter
1PC 1/2" Dr. to 5/16" Hexagon Bit Coupler (Spring Type)
1PC 1/4" Dr. Quick Release Ratchet Handle with Blue (P.P) / Black (TPR) / Mirror (ABS)
Triple Injection Grip. (45 Teeth, Oval Head & Gear-to-Gear Type)
13PCS 1/4" Dr. Shallow Socket (6PT)
Sizes: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 and 14 MM
8PCS 1/4" Dr. Deep Socket (6PT) Sizes: 6, 7, 8, 9, 10, 11, 12 and 13 MM
2PCS 1/4" Dr. 50MM & 100 MM Extension Bars
1PC 1/4" Dr. 150MM (L) Flexible Extension
1PC 1/4" Dr.(150 MM)Spinner with Blue(P.P)/Black(TPR)/Mirror(ABS)Triple Injection Grip.
1PC 1/4" Dr. Universal Joint (Rivet Type)
1PC 1/4" Dr. 110 MM Sliding T-Bar (Pin Ball Type)
1PC 1/4" Dr. to 1/4" Hexagon Bit Coupler (Spring Type)
17PCS 1/4" Dr. Socket Bits: (Length 37 MM)
⊖ 4, 5.5 & 7 MM ⊕ No.1 & No.2 ⊗ No.1 & No.2
● 3, 4, 5 and 6 MM ⊛ T-8, T-10, T-15, T-20, T-25 and T-30
16PCS 5/16" Hexagon Bits 30 MM (L) with Two Injection Holders
⊖ 6, 7 & 8 MM ⊕ No.2 & No.3 ⊗ No.2 & No.3
● 5, 6, 7 and 8 MM ⊛ T-25, T-27, T-30, T-40 and T-45
3PCS Short Series Hex Key Wrench: Sizes: 1.5, 2.0 & 2.5 MM



65 PCS 1/4" & 1/2" Dr. Mechanics Tool Set

Code KB0053

Contents:

1PC 1/2" Dr. Quick Release Ratchet Handle with Blue (P.P) / Black (TPR) / Mirror (ABS)
Triple Injection Grip. (45 Teeth, Oval Head & Gear-to-Gear Type)
11PC 1/2" Dr. Shallow Socket (6PT)
Sizes: 14, 15, 17, 18, 19, 20, 22, 24, 27, 30 & 32 MM
1PC 1/2" Dr. Universal Joint (Rivet Type)
2PC 1/2" Dr. 125 & 250 MM Extension Bars
2PC 1/2" Dr. Spark Plug Sockets: Size: 16 MM & 21 MM
1PC 3/8" Dr. (F) to 1/2" Dr. (M) T-Bar Adapter
1PC 1/4" Dr. Quick Release Ratchet Handle with Blue (P.P) / Black (TPR) / Mirror (ABS) Triple Injection Grip. (45 Teeth, Oval Head & Gear-to-Gear Type)
11PC 1/4" Dr. Shallow Socket (6PT) Sizes: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11 and 13 MM
1PC 1/4" Dr. 100 MM Extension Bar
1PC 1/4" Dr. Universal Joint (Rivet Type)
1PC 1/4" Dr.(150 MM)Spinner with Blue(P.P)/Black(TPR)/Mirror(ABS)Triple Injection Grip.
1PC 1/4" Dr. to 1/4" Hexagon Bit Coupler (Spring Type)
22PC 1/4" Hexagon Bits 25mm (L) with Two Injection Holder
⊖ 2, 3, 4, 5 & 7 MM ⊕ No.1, 2 & 3 ⊗ No.1, 2 & 3
● 2, 3, 4, 5 and 6 MM ⊛ T-10, T-15, T-20, T-25, T-27 and T-30
9PC Combination Wrenches (Sunken Panel) Sizes: 8, 9, 10, 11, 12, 13, 14, 17, 19 MM





45 PCS 1/4" Dr. Socket & Bit Set.

Code KB0050

Contents:

1PC 1/4" Dr. Quick Release Ratchet Handle with Blue (P.P) / Black (TPR) / Mirror (ABS)
Triple Injection Grip. (45 Teeth, Oval Head & Gear-to-Gear Type)
13PCS 1/4" Dr. Shallow Sockets: (6 PT)
Sizes: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 & 14 MM
2PCS 1/4" Dr. 55 MM & 150 MM Extension Bars
1PC 1/4" Dr. Universal Joint (Rivet Type)
1PC 1/4" Dr.(150 MM)Spinner with Blue(P.P)/Black(TPR)/Mirror(ABS)Triple Injection Grip.
1PC 1/4" Dr. 110 MM Sliding T-Bar (Pin Ball Type)
1PC 1/4" Dr. to 1/4" Hexagon Bit Coupler (Spring Type)
1PC 1/4" Hexagon to 1/4" Dr. Socket Adaptor
20PCS 1/4" Hexagon Bits 25mm (L) with Two Injection Holders
⊖ 3, 4, 5.5 & 6 MM ⊕ Phillips: No.0, 1, 2 & 3 ⊕ Pozidriver: No.0, 1, 2 & 3
● Hex: 3, 4, 5 and 6 MM ⊕ Star: T-20, T-25, T-30 and T-40
4PCS Short Series Hex Keys Wrenches: Sizes: 1.27, 1.5, 2.0 & 2.5 MM



94 PCS 1/4" & 1/2" Dr.Mechanics Tool Set

Code KB0054

Contents:

1PC 1/2" Dr. Quick Release Ratchet Handle with Blue (P.P) / Black (TPR) / Mirror (ABS)
Triple Injection Grip. (45 Teeth, Oval Head & Gear-to-Gear Type)
15PCS 1/2" Dr. Sockets: (6PT, Z-Driver)
Sizes: 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30 and 32 MM
2PCS 1/2" Dr. 125 MM & 250 MM Extension Bars
1PC 3/8" Dr. (F) to 1/2" Dr. (M) T-Bar Adapter
2PCS 1/2" Dr. Spark Plug Sockets: 16 and 21 MM
1PC 1/2" Dr. Universal Joint (Rivet Type)
1PC 1/4" Dr. Quick Release Ratchet Handle with Blue (P.P) / Black (TPR) / Mirror (ABS)
Triple Injection Grip. (45 Teeth, Oval Head & Gear-to-Gear Type)
12PCS 1/4" Dr. Sockets: (6PT, Z-Driver) Sizes: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 and 13 MM
3PCS 1/4" Dr. 55 MM, 100 MM and 250 MM Extension Bars
1PC 1/4" Dr. Universal Joint (Rivet Type)
1PC 1/4" Dr. 110 MM Sliding T-Bar
9PCS Combination Wrenches: (Sunken Panel, Z-Driver Box End)
Size: 8, 10, 11, 12, 13, 14, 17, 19 and 22 MM
1PC 1/4" Dr.(150 MM)Spinner with Blue(P.P)/Black(TPR)/Mirror(ABS)Triple Injection Grip.
1PC 1/4" Dr. to 6.35 MM Hex Bit Coupler (Ring Type)
1PC 1/2" Dr. to 10 MM Hex Bit Coupler (Ring Type)
16PCS 25 MM (L), 6.35 MM Hexagon Shank Screwdriver Bits:
⊖ 4, 5 and 6 MM ⊕ No.1, No.2 ⊕ No.1, No.2
● 3, 4 and 5 MM ⊕ T-10, T-15, T-20, T-25, T-27 and T-30
16PCS 30 MM (L) 10 MM Hexagon Shank Screwdriver Bits:
⊖ 7, 8 and 10 MM ⊕ No.3, No.4 ⊕ No.3, No.4
● 6, 7, 8 and 10 MM ⊕ T-30, T-40, T-45, T-47 and T-50
9PCS Precision Screwdrivers, P.P (Blue) / TPR (Black) Double Injection Handle
⊖ 1.5, 2.0, 3.0 MM ⊕ No.0-0, No.0, No.1 ⊕ T-6, T-8 and T-10
1PC Blow Molded Case



90 PCS Mechanics Tool Set

Code CD0050

Contents:

1PC 3/8" Dr. Quick Release Ratchet Handle with Blue (P.P) / Black (TPR) / Mirror (ABS)
Triple Injection Grip. (45 Teeth, Oval Head & Gear-to-Gear Type)
10PCS 3/8" Dr. Shallow Socket: (6PT) Sizes: 10, 11, 12, 13, 14, 15, 17, 19, 22 and 24 MM
1PC 3/8" Dr. 10" (250 MM) Extension Bar
1PC 3/8" Dr. Universal Joint (Rivet Type)
2PCS 3/8" Dr. Spark Plug Sockets: 16 & 21 MM
1PC 3/8" Dr. (F) to 1/2" Dr. (M) T-Bar Adapter
1PC 3/8" Dr. (M) to 1/4" Dr. Socket Adapter
11PCS 1/4" Dr. Shallow Socket: (6PT) Sizes: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12, 13 MM
1PC 1/4" Dr.(150 MM)Spinner with Blue(P.P)/Black(TPR)/Mirror(ABS)Triple Injection Grip.
8PCS Combination Wrenches: (Sunken Panel) Sizes: 10, 11, 12, 13, 14, 15, 17 and 19 MM
9PCS Long Series Ball End Hex Key Wrenches with T-Function Injection Holder:
Size: 1.5, 2, 2.5, 3, 4, 5, 6, 8 and 10 MM
1PC 12 oz Claw Hammer with Blue Fiberglass Shaft, Black Injection Handle
1PC 240 MM (9-1/2") Box Joint Pliers with Blue / Black Dipping Handle
1PC 180 MM (7") Combination Pliers, Blue / Black Double Injection Grip
5PCS Screwdrivers with Blue (P.P) / Black (TPR) / Mirror (ABS) / Gray (P.P)
Four Time Injection Handle (Symbol End Cap)
⊖ 6.5 x 100 MM, 8.0 x 150 MM and Stubby: 6 x 38 MM
⊕ No.2 x 100 MM and Stubby: No.2 x 38 MM
1PC 140 MM 220~250 Voltage Electrical Tester (VDE/GS Approved)
1PC Ratchet Bit Driver with Blue (P.P) / Black (TPR) / Mirror (ABS) / Gray (P.P)
Four Time Injection Handle (Symbol End Cap)
1PC 1/4" Dr. to 1/4" Hexagon Bit Coupler (Spring Type)
31PCS 25 MM Screwdriver Bits with P.P/TPR Triple Injection Holders:
⊖ 3, 4, 5, 5.5 and 6.5 MM ⊕ No.1, 2 (2PCs) and 3
⊕ No.1, 2 (2PCs) and 3 ● 2, 2.5, 3, 4, 5 and 6 MM
⊕ T-8, T-9, T-10, T-15(2PCS), T-20(2PCs), T-25(2PCs), T-27, T-30, T-40
1PC 1/4" Hexagonal to 1/4" Dr. Socket Adapter
1PC 1/4" Hexagonal Quick Bit Chuck (Blue Aluminum Shaft)





22 PCS BIT SET

Material: Cr-v
Packing : Bmc, Color Box



74 PCS BITS SET

Material: Cr-v
Packing : Bmc, Color Box



30 PCS 1/2" SQ DRIVE SOCKET BITS SET

Material: Cr-v
Packing : Bmc, Color Box



32 PCS 1/2" SQ DRIVE SOCKET BITS SET

Material: Cr-v
Packing : Bmc, Color Box



38 PCS 1/2" SQ DRIVE SOCKET BITS SET

Material: Cr-v
Packing : Bmc, Color Box



30 PCS TRX-STAR SOCKET & BIT SET

Material: Cr-v
Packing : Bmc, Color Box





DISPLAY RACK



DISPLAY STAND





E-MARK TOOLS INTERNATIONAL CO., LTD.
NO.20 LANE 338,Sha Rd Hua Tan Shiang, Chang-Hua Hsien Taiwan
Tel. 886-4-7874565 Fax. 886-4-7874465 www.emark.com.tw sales@emark.tw