



EMARK

TOP QUALITY & SUPERIOR VALUE

Automotive Hand Tools

2024-2025



THE STORY AND SPIRIT OF EMARK

QUALITY/ PERSISTENT

EMARK tools have passed a number of international quality certificates, insist on producing durable product ,and is acknowledged in industry and market.We hold the spirit to provide high-quality hand tool and become trustworthy partner.

DEEP TILLAGE/ INHERITANCE

With more than 25 years manufacturing experience in professional hand-tool area, we still move forward with diligent and steadfast.Insisting on MIT localized production creates next extraordinary 25years, and deliver brand value permanently.

INNOVATION

From OEM to OBM, EMARK brand makes customer feel energetic power with innovative recognition, which injected new vitality in professional hand tool market.

INTERNATIONAL

In addition to running local market , we have developed overseas market channels to Thailand, Malaysia, Lebanon in Middle East and so on. Nowadays, we continuously expand global market distribution and grasp international trend preciously.





O-Ring & Seal Removal Tools

- Left Spoon type removers
25 degrees x 75mm, 25 degrees x 140mm
- Right Spoon type removers
15 degrees x 75mm, 15 degrees x 140mm



Pick & Hook Tools

- Straight Pick x 80mm
- Angle Hook x 80mm
- Full Hook x 80mm
- 90-Degree Hook x 80mm



Auto Trim Removal Tools

- Gasket Scraper 8x150mm
- Clip Remover 9x125mm
- Door Upholstery Remover 9x125mm
- Door Upholstery Remover 6x90mm
- Scratch Awl/Rubber Hook 8x90mm



Door Upholstery Remover

- 5mm "U" Notch Tip
- 6mm "U" Notch Tip
- 7mm "U" Notch Tip



Steel File Tools

- Round x 200mm
- Square x 200mm
- Triangle x 200mm
- Half-round x 200mm
- Flat x 200mm



Secure Grip Feature for Easy Removal and Installation



Auto Hold Valve Core Tool

- 4.5 x 60 mm



Nut Driver Long Socket

A		A	
8L	150	12L	150
9L	150	13L	150
10L	150	14L	150
11L	150		



Nut Driver Short Socket

A		A	
5	150	10	150
5.5	150	11	150
6	150	12	150
7	150	13	150
8	150	14	150
9	150		



Hammer Screwdriver / Hex Bolster

⊖ Slotted			⊕ Phillips			⊕ Pozidriv		
⊖	⊖		⊕	⊕		⊕	⊕	
5.5	1.0	125	#1	5.0	100	#1	5.0	100
6.5	1.2	150	#2	6.0	100	#2	6.0	100
8.0	1.2	150	#2	6.0	150	#2	6.0	150
			#3	8.0	150	#3	8.0	150



Pick Up Bar

- Magnetic Capacity:
3KG / 510mm Length
1KG / 510mm Length



Flexible Driver

- 6 x 150mm
- 7 x 150mm
- 8 x 150mm
- 10 x 150mm
- 1/4" x 150mm
- 1/4" x 190mm(non coated)
- 1/4" x 250mm(non coated)



T-Handle Nut Driver Long Socket

A		A	
7L	77	11L	77
8L	77	12L	77
9L	77	13L	77
10L	77	14L	77



T-Handle Nut Driver Short Socket

A		A	
5	42	10	42
5.5	42	11	42
6	42	12	42
7	42	13	42
8	42	14	42
9	42		




T-Bar Hex : Long

Tip(mm)	Handles	Length(H/L)
1.5	81 x 49.5	12 x 100
2.0	81 x 49.5	12 x 100
2.5	81 x 49.5	12 x 100
3.0	81 x 49.5	15 x 100
4.0	81 x 49.5	15 x 100
5.0	112 x 68	15 x 100
6.0	112 x 68	15 x 100
8.0	112 x 68	20 x 200
10.0	112 x 68	20 x 200


T-Bar Torx, Tamper : Long

Tip(mm)	Handles	Length(H/L)
T9; T9H	81 x 49.5	12 x 100
T10; T10H	81 x 49.5	12 x 100
T15; T15H	81 x 49.5	12 x 100
T20; T20H	81 x 49.5	15 x 100
T25; T25H	81 x 49.5	15 x 100
T27; T27H	112 x 68	15 x 100
T30; T30H	112 x 68	15 x 100
T40; T40H	112 x 68	20 x 200
T50; T50H	112 x 68	20 x 200



9Pcs Hex Key Set

Tip(mm)	A(mm)	B(mm)
1.5	15.5	91.5
2.0	18	102
2.5	20.5	114.5
3.0	23	129
4.0	29	144
5.0	33	165
6.0	38	186
8.0	44	208
10.0	50	234



9Pcs Torx, Torx Tamper Key Set

Tip(mm)	A(mm)	B(mm)
T10; T10H	21	123
T15; T15H	23.5	133.5
T20; T20H	28	144
T25; T25H	30.5	154.5
T27; T27H	31	165
T30; T30H	37	176
T40; T40H	41	192
T45; T45H	47	210
T50; T50H	49	235



Item no.80313

- Insulated screwdrivers: SL4.0, SL5.5, PH1, PH2
- Insulated cable knife
- Insulated open end spanners: 6, 8, 10, 12, 13, 17
- 7" insulated combination pliers
- 6" insulated diagonal pliers
- 3/8" insulated ratchet spanner
- 3/8" insulated extension bar: 125mm
- 3/8" insulated T handle
- 3/8" insulated socket: 8, 10, 11, 12, 13, 14, 16, 17, 19, 22



Item no.80314

- 7" insulated combination pliers
- 6" insulated diagonal pliers
- 6" insulated long nose pliers
- Insulated cable knife
- Insulated open end spanners: 10, 11, 12, 13, 14, 17, 19, 22
- Insulated screwdrivers: SL4.0, SL5.5, SL8.0, PH1, PH2
- 1/2" insulated ratchet spanner
- 1/2" insulated extension bar: 125, 250mm
- 1/2" insulated socket: 10, 11, 12, 13, 14, 17, 19
- 1/2" insulated socket bits: H6, H8

TORX® & TORX PLUS® Driving Tools Authorized Supplier



VDE1000V Certificate Approval



E-mark Tools International CO.,LTD

<https://www.emark.com.tw/>

Tel: +886-4-7874565

Fax: +886-4-7874465

Email: sales-ek@emark.com.tw

