



EMARK

TOP QUALITY & SUPERIOR VALUE





According to an ancient legend, Unicorn was regarded as a symbol of royal arms of Scotland and with meaning of precious and strong. Meanwhile, its horn is seen as a symbol of power. EMARK insists on supplying stable and durable safety hand tools in order to be your most reliable and trustworthy partner.

WRENCH SERIES**06-09****HEX KEY SERIES****10-12****SCREWDRIVER SERIES****13-19****INSULATED SERIES****20-21**

QUALITY/ PERSISTENT

EMARK tools have passed a number of international quality certificates, insist on producing durable product ,and is acknowledged in industry and market.We hold the spirit to provide high-quality hand tool and become trustworthy partner.

DEEP TILLAGE/ INHERITANCE

With more than 25 years manufacturing experience in professional hand-tool area, we stilll move forward with diligent and steadfast.Insisting on MIT localized production creates next extraordinary 25 years, and deliver brand value permanently.

INNOVATION

From OEM to OBM, EMARK brand makes customer feel energetic power with innovative recognition, which injected new vitality in professional hand tool market.

INTERNATIONAL

In addition to running local market , we have developed overseas market channels to Thailand, Malaysia, Lebanon in Middle East and so on. Nowadays, we continuously expand global market distribution and grasp international trend preciously.





ESTABLISHED
Started with Screwdrivers production.

1993



VPA/GS APPROVAL
Certified by VPA/GS from 1999.

1999



VDE 1000V CERTIFICATE APPROVAL
Certified insulated series since 2000.

2000

SGS

PASSED SGS INSPECTION

All series of products are passed the restricted substances inspection as safety and eco-friendly.

2007

2005



FIRST ONE IN THE WORLD
Slim type insulated S/D was launched.

2017

AUTOMATED PRODUCTION SYSTEM

Automated production implementation to expand production capacity.

2019




CERTIFIED BY BSCI

Implementing BSCI Code of Conduct which is set up based on ILO regulation for obligation of business to society.



EMARK
TOP QUALITY & SUPERIOR VALUE

BRAND IDENTITY INNOVATION



Torque Testing


**Specialized field and
Innovation lead us
quality priority.**




Pull Testing



Fire Testing



Impact Testing





High Voltage Testing



- The hardness exceed HRC 50, test by Rockwell hardness.
- **Torque is higher than the DIN standards.**
- Made of heat-treated Chrome-Vanadium steel.



15° OFFSET COMBINATION WRENCH **METRIC** **CrV**

Code	Size	Length	 / 
70000	6	100	12 / 120
70001	7	110	12 / 120
70002	8	120	12 / 120
70003	9	130	12 / 120
70004	10	140	12 / 120
70005	11	150	12 / 120
70006	12	160	12 / 120
70007	13	170	12 / 120
70008	14	180	12 / 120
70009	15	190	12 / 120
70010	16	200	12 / 120
70011	17	210	12 / 120
70012	18	220	12 / 120
70013	19	230	12 / 120
70014	20	240	6 / 72
70015	21	250	6 / 72
70016	22	260	6 / 72
70017	23	270	6 / 72
70018	24	280	6 / 72
70019	25	290	6 / 60
70020	26	300	6 / 60
70021	27	310	6 / 48
70022	28	320	6 / 36
70023	29	330	6 / 36
70024	30	340	6 / 36
70026	32	360	6 / 24
70027	33	380	2 / 8
70028	34	380	2 / 8
70030	36	410	2 / 8
70032	38	430	2 / 8
70035	41	460	3 / 6
70036	42	460	3 / 6
70039	45	500	3 / 6
70040	46	500	3 / 6
70042	48	540	3 / 6
70044	50	540	3 / 6
70049	55	560	1
70054	60	600	1

15° OFFSET COMBINATION WRENCH **INCH** **CrV**

Code	Size	Length	 / 
70200	1/4"	100	12 / 120
70201	5/16"	120	12 / 120
70202	3/8"	140	12 / 120
70203	7/16"	150	12 / 120
70204	1/2"	170	12 / 120
70205	9/16"	180	12 / 120
70206	5/8"	200	12 / 120
70207	11/16"	210	12 / 120
70208	3/4"	230	12 / 120
70209	13/16"	250	6 / 72
70210	7/8"	260	6 / 72
70211	15/16"	280	6 / 72
70212	1"	295	6 / 60
70213	1-1/16"	310	6 / 48
70214	1-1/8"	340	6 / 36
70215	1-1/4"	360	6 / 24







1


- Made of heat-treated Chrome-Vanadium steel.
- **Torque is higher than the DIN standards.**
- The hardness exceed HRC 50, test by Rockwell hardness.

2

1 45° OFFSET DOUBLE RING WRENCH
CrV
2 DOUBLE OPEN WRENCH
CrV

Code	Size	Length	 / 
70400	6x7	165	12 / 120
70402	8x9	170	12 / 120
70403	8x10	170	12 / 120
70405	10x12	195	12 / 120
70408	12x14	206	12 / 120
70410	14x17	232	12 / 120
70412	17x19	270	6 / 72
70414	19x21	292	6 / 72
70416	21x23	327	6 / 48
70417	22x24	327	6 / 48
70418	23x26	362	6 / 24
70420	24x27	372	6 / 24
70421	25x28	372	6 / 24
70422	27x30	392	6 / 24
70423	30x32	392	6 / 24

Code	Size	Length	 / 
70300	6x7	123	12 / 120
70302	8x9	140	12 / 120
70303	8x10	140	12 / 120
70305	10x12	156	12 / 120
70306	11x13	172	12 / 120
70308	12x14	180	12 / 120
70310	14x17	195	12 / 120
70312	17x19	221	12 / 120
70314	19x21	237	12 / 72
70317	21x23	247	6 / 72
70319	23x26	255	6 / 72
70321	24x27	263	6 / 36
70324	30x32	298	6 / 36



1




- Made of heat-treated Chrome-Vanadium steel.
- **Torque is higher than the DIN standards.**
- The hardness exceed HRC 50, test by Rockwell hardness.


2

1 GEAR WRENCH



2 FLEX-HEAD GEAR WRENCH


Code	Size	Length	 / 
71106	6	130	12 / 120
71107	7	130	12 / 120
71108	8	140	12 / 120
71109	9	150	12 / 120
71110	10	160	12 / 120
71111	11	165	12 / 120
71112	12	170	12 / 120
71113	13	180	12 / 120
71114	14	190	12 / 120
71115	15	200	12 / 120
71116	16	210	12 / 120
71117	17	225	12 / 72
71118	18	235	12 / 72
71119	19	245	12 / 72
71120	20	288	6 / 72
71121	21	288	6 / 48
71122	22	288	6 / 48
71124	24	320	6 / 48
71125	25	320	6 / 36
71127	27	365	6 / 24
71130	30	405	6 / 24
71132	32	405	6 / 24

Code	Size	Length	 / 
71156	6	140	12 / 120
71157	7	140	12 / 120
71158	8	140	12 / 120
71159	9	150	12 / 120
71160	10	160	12 / 120
71161	11	165	12 / 120
71162	12	170	12 / 120
71163	13	178	12 / 120
71164	14	190	12 / 120
71165	15	200	12 / 120
71166	16	208	12 / 120
71167	17	228	12 / 72
71168	18	238	12 / 72
71169	19	248	12 / 72



QUICK RATCHET GEAR WRENCH


Code	Size	Length	 / 
71006	6	130	12 / 120
71007	7	130	12 / 120
71008	8	140	12 / 120
71009	9	150	12 / 120
71010	10	160	12 / 120
71011	11	165	12 / 120
71012	12	170	12 / 120
71013	13	178	12 / 120
71014	14	190	12 / 120
71015	15	200	12 / 120
71016	16	208	12 / 120
71017	17	228	12 / 120
71018	18	238	12 / 120
71019	19	248	12 / 120
71020	20	248	6 / 72
71021	21	288	6 / 48
71022	22	288	6 / 48
71023	23	320	6 / 36
71024	24	320	6 / 36

Made of heat-treated Chrome-Vanadium steel.

Innovative open end design, save time and fast work.

Torque is higher than the DIN standards.

The hardness exceed HRC 50, test by Rockwell hardness.

Corrosion-resistant Chrome plated finish.

100% MADE IN TAIWAN.

72 tooth ratchet with 5° space per each turn and use in confined areas.



Heat treated S2 steel to improve the hardness to 54~58HRC.

Colorful PP coating for anti-slip and size identification.



Diamond Hex to enlarge contact area 30% more and torque 10% improvement.

61000
S2 STEEL



Chrome plated finish for good anti-corrosion.

Hinged TPR holder opens flat easier to get keys out.

61003
S2 STEEL

9PCS ANTI-SLIP COLOR GRIP HEX KEY /TORX® TAMPER SET



Code	Tip	Material	Contents	Holder	Finish	Box / Carton
61000	Diamond/Hex	S2	1.5/2.0/2.5/3.0/4.0/5.0/6.0/8.0/10.0	RD	Chrome plated	6 / 36
61003	TORX® Tamper	S2	T10H/T15H/T20H/T25H/T27H/T30H/T40H/T45H/T50H	BL	Chrome plated	6 / 36

EMARK TOOLS
YOU DESERVE IT!



Heated-treated S2 Steel with extra long type better torque than normal CR-V
Corrosion-resistant chrome plated finish.



Hinged TPR holder opens flat easier to get keys out.

61020

9PCS HEX KEY SET (EXTRA LONG)



Code	Tip	Contents	Holder	Icons
61020	Diamond/Hex	1.5/2.0/2.5/3.0/4.0/5.0/6.0/8.0/10.0	RD	6 / 48
61088	Ball/Hex	3/8", 5/16", 1/4", 3/16", 5/32", 1/8", 3/32", 5/64", 1/16"	GN	6 / 48

INCH



61023

9PCS TORX® TAMPER KEY SET (EXTRA LONG)



Code	Tip	Contents	Holder	Icons
61023	TORX® Tamper	T10H / T15H / T20H / T25H / T27H / T30H / T40H / T45H / T50H	BL	6 / 48



61080

9PCS HEX KEY SET (STANDARD)



Code	Tip	Contents	Holder	Icons
61080	Ball/Hex	1.5/2.0/2.5/3.0/4.0/5.0/6.0/8.0/10.0	BK	6 / 48



62500



62501



62502




62503

FOLDING HEX KEY SET



Code	Tip	Contents	Holder	Icons
62500	Hex	2.0 / 2.5 / 3.0 / 4.0 / 5.0 / 6.0	BL	12 / 120
62501	Ball	2.0 / 2.5 / 3.0 / 4.0 / 5.0 / 6.0	YL	12 / 120
62502	TORX® Tamper	T9H / T10H / T15H / T20H / T25H / T30H	RD	12 / 120
62503	Hex/SL/PH	Hex 3.0/4.0/5.0/6.0, SL 6.0, PH#2	GN	12 / 120

Chrome plated finish for good anti-corrosion.




Heated-treated S2 Steel to improve the hardness to 54~58HRC.



Diamond Hex to enlarge contact area 30% more and torque 10% improvement.

Colorful PP coating for anti-slip and size identification.



Chrome plated finish for good anti-corrosion.

Heated-treated S2 Steel to improve the hardness to 54~58HRC.



Diamond Hex to enlarge contact area 30% more and torque 10% improvement.



HEX KEY SERIES (EXTRA LONG)



Code	Tip	Size	/
60000	Ball/Hex	1.5	12 / 144
60001	Ball/Hex	2.0	12 / 144
60002	Ball/Hex	2.5	12 / 144
60003	Ball/Hex	3.0	12 / 144
60004	Diamond/Hex	4.0	12 / 144
60005	Diamond/Hex	5.0	12 / 144
60006	Diamond/Hex	6.0	12 / 144
60007	Diamond/Hex	8.0	12 / 144
60008	Diamond/Hex	10.0	12 / 120

ANTI-SLIP HEX KEY SERIES (EXTRA LONG)





Code	Tip	Size	/
61909	Diamond/Hex	1.5	12 / 144
61910	Diamond/Hex	2.0	12 / 144
61911	Diamond/Hex	2.5	12 / 144
61912	Diamond/Hex	3.0	12 / 144
61913	Diamond/Hex	4.0	12 / 144
61914	Diamond/Hex	5.0	12 / 144
61915	Diamond/Hex	6.0	12 / 144
61916	Diamond/Hex	8.0	12 / 144
61917	Diamond/Hex	10.0	12 / 120


JUMBO HEX KEY SERIES





Code	Tip	Size	/
60285	Hex/Hex	12.0	6 / 24
60286	Hex/Hex	14.0	6 / 24
60287	Hex/Hex	17.0	6 / 24
60288	Hex/Hex	19.0	6 / 24


JAPANESE COLOR LINE SCREWDRIVER  

Code	Model	Tip	Size	 / 
51100	101	SL	3.0x50	12 / 120
51101	101	SL	3.0x75	12 / 120
51102	101	SL	3.0x100	12 / 120
51103	101	SL	3.0x150	12 / 120
51104	102	SL	5.0x75	12 / 120
51105	102	SL	5.0x100	12 / 120
51106	102	SL	5.0x150	12 / 120
51107	102	SL	5.0x200	12 / 72
51111	107	SL	6.0x100	12 / 120
51112	107	SL	6.0x125	12 / 120
51113	107	SL	6.0x150	12 / 120
51114	107	SL	6.0x200	12 / 72
51117	106	SL	8.0x150	12 / 72
51118	106	SL	8.0x200	12 / 72
51132	102	CA	5.0x250	12 / 72
51133	102	CA	5.0x300	12 / 72
51135	107	CA	6.0x250	12 / 72
51136	107	CA	6.0x300	12 / 72
51151	101	PH	#0x50	12 / 120
51152	101	PH	#0x75	12 / 120
51153	101	PH	#0x100	12 / 120
51154	101	PH	#0x150	12 / 120
51155	102	PH	#1x75	12 / 120
51156	102	PH	#1x100	12 / 120
51157	102	PH	#1x150	12 / 120
51158	102	PH	#1x200	12 / 72
51162	107	PH	#2x100	12 / 120
51163	107	PH	#2x125	12 / 120
51164	107	PH	#2x150	12 / 120
51165	107	PH	#2x200	12 / 72
51168	106	PH	#3x150	12 / 72
51169	106	PH	#3x200	12 / 72
51159	102	PH	#1x250	12 / 72
51160	102	PH	#1x300	12 / 72
51166	107	PH	#2x250	12 / 72
51167	107	PH	#2x300	12 / 72


JAPANESE COLOR LINE STUBBY SCREWDRIVER  

Code	Model	Tip	Size	 / 
51110	104	SL	6.0x38	12 / 120
51161	104	PH	#2x38	12 / 120

With magnetic tips and black phosphate make the tips for corrosion protection and wear resistance.



Made of heat-treated CR-MO Steel for increase strength and durability.



GERMAN GO-THROUGH SCREWDRIVER WITH HEX BOLSTER



Code	Tip	Size	/
53116	SL	5.5x100	12 / 120
53163	SL	6x100	12 / 120
53123	SL	8x150	12 / 120

GERMAN GO-THROUGH SCREWDRIVER WITH HEX BOLSTER



Code	Tip	Size	/
53165	PH	#1x80	12 / 120
53139	PH	#2x100	12 / 120
53140	PH	#3x150	12 / 120



JAPANESE GO-THROUGH SCREWDRIVER



Code	Tip	Size	/
51000	SL	6.0x100	12 / 120
51002	SL	6.0x150	12 / 96
51011	SL	8.0x150	12 / 96
51012	SL	8.0x200	6 / 72
51013	SL	8.0x250	6 / 60
51014	SL	8.0x300	6 / 60
51022	SL	10.0x250	6 / 60
51023	SL	10.0x300	6 / 60
51031	PH	#2x100	12 / 120
51033	PH	#2x150	12 / 96
51041	PH	#3x150	12 / 96
51042	PH	#3x200	6 / 72
51053	PH	#4x300	6 / 60

JAPANESE DOUBLE END SCREWDRIVER





Code	Tip	Size	/
51061	SL/PH	PH#2 / SL6.0	12 / 120

MECHANIC'S BEST CHOICE

- Made of heat-treated steel, and black phosphate for corrosion protection.
- Made of CR-MO steel for increase strength and durability.
- Magnetic tips make tasks much easier.
- Ergonomic grip for optimized control and comfort.
- Go-Through solid shanks with hex driver strike end cap.

GERMAN BICOLOR SCREWDRIVER

MECHANIC'S BEST CHOICE

Code	Tip	Size	 / 
53124	SL	3.0x75	12 / 120
53178	SL	3.0x100	12 / 120
53179	SL	5.0x100	12 / 120
53180	SL	6.0x38	12 / 120
53155	SL	6.0x100	12 / 120
53156	SL	6.0x150	12 / 120
53112	SL	8.0x150	12 / 120
53130	PH	#0x75	12 / 120
53181	PH	#0x100	12 / 120
53108	PH	#1x100	12 / 120
53106	PH	#2x38	12 / 120
53121	PH	#2x100	12 / 120
53131	PH	#2x150	12 / 120
53109	PH	#3x150	12 / 120
53182	TORX® Tamper	T5Hx60	12 / 120
53183	TORX® Tamper	T6Hx60	12 / 120
53184	TORX® Tamper	T7Hx60	12 / 120
53185	TORX® Tamper	T8Hx60	12 / 120
53186	TORX® Tamper	T9Hx60	12 / 120
53187	TORX® Tamper	T10Hx80	12 / 120
53188	TORX® Tamper	T15Hx80	12 / 120
53189	TORX® Tamper	T20Hx100	12 / 120
53190	TORX® Tamper	T25Hx100	12 / 120
53191	TORX® Tamper	T27Hx100	12 / 120
53192	TORX® Tamper	T30Hx100	12 / 120
53193	TORX® Tamper	T40Hx125	12 / 120
53194	TORX® Tamper	T45Hx125	12 / 120




With magnetic tips and black phosphate make the tips for corrosion protection and wear resistance.

Made of heat-treated CR-MO Steel, with excellent hardness above 54HRC and toughness.

Bicolor handles are slip-resistant and ergonomically designed for comfort and save energy.



Available tips: ○



53175

Available tips: ☆



53176

Available tips: ⊕ ⊖



53177

Available tips: ⊕ ⊖ ☆ ○



53174

Available for screw: PH2 SL6

MADE IN TAIWAN, Quality Assurance
Bicolor handles are slip-resistant and ergonomically designed for comfort and save energy.



53195



Reversible tip

53196

Available for screw: PH0 PH1 PH2 PH3 SL6 PZ1 PZ2 PZ3



53171

Include Screw holder



One screwdriver fit for 8 sizes
Made of S2 steel with magnetic tips.

53173

INTERCHANGEABLE BITS SET



Code	Contents	8 / 72
53175	1-Way Power Bits(Hex) x 110mm Hex : 2 / 2.5 / 3 / 4 / 5 / 6	12 / 72
53176	Double end Power Bits(TORX® Tamper) x110mm TORX® : T5 / T6 / T7 / T8 / T9 / T10 T15 / T20 / T25 / T27 / T30 / T40	12 / 72
53177	One way with PH*100mm : #1 / #2 Double end with PH/SL*110mm : #2 / SL6 Double end with PH/PH*110mm : #2 Double end with PH/PH*65mm : #2 Double end with PH/PH*150mm : #2	12 / 72

INTERCHANGEABLE BITS SET



Code	Contents	8 / 72
53174	PH : #1 / #2 、 SL : 4 / 5 / 6 Hex : H5 / H6 、 AD TORX® : T10/T15/T20	12 / 72

2 WAY SCREWDRIVER



Code	Contents	8 / 72
53195	2 way with PH/SL x 63mm : #2 / 6	12 / 120
53196	2 way with PH/SL x 125mm : #2 / 6	12 / 120

8 IN 1 SCREWDRIVER



Code	Contents	8 / 72
53171	Double end with PH/SL x 65mm (Include Screw holder) SL6 、 PH #0 / #1 / #2 / #3	12 / 120
53173	PZ #1 / #2 / #3 Double end with PH/SL x 125mm (Include Screw holder) SL6 、 PH #0 / #1 / #2 / #3 PZ #1 / #2 / #3	12 / 120



50095

- Precision process ensure the accuracy of the tips.

12 IN 1 PRECISION SCREWDRIVER SET



Code	Contents	Box / Carton
50095	SL 1.5/2.5/3.0 PH #00/#0/#1 TORX® T6/T7/T8/T9 Hex 1.5/2.0	12 / 72



50156

- Precision process ensure the accuracy of the tips.


6PCS PRECISION SCREWDRIVER SET



Code	Contents	Box / Carton
50154	PH #00/#0/#1 Cabinet(CA) 1.5/2.0/3.0	12 / 72
50156	TORX® Tamper T5H/T6H/T7H/T8H/T10H/T15H	12 / 72



50160



- 30pcs popular bits meet all your need.
- Compact package.

30 IN 1 PRECISION BITS SET



Code	Contents	Box / Carton
50160	Hex Extension Bar 4x90mm PZ 0/1 PH #000/#00/#0/#1 TORX® T4/T5/T6/T7/T8/T9/T10/T15/T20 SL 1.0/1.5/2.0/2.5/3.0/3.5/4.0 Hex 0.7/0.9/1.3/1.5/2.0/2.5/3.0/4.0	12 / 72



50220



- Made by CNC to increase Torque
 - Anti-slip TPR handle
- Black phosphate make the tips for corrosion protection
 - Precision process ensure the accuracy of the tips.

6PCS PRECISION SCREWDRIVER SET WITH TURRET HOLDER



Code	Contents	Box / Carton
50220	PH #00/#0/#1 SL 1.4/2.0/2.4	12 / 72





DOUBLE END POWER BITS (PH2)



Code	Size	Finish	Plastic case	Icons
65120	65mm	Chrome plating	10PCS	12 / 120
65121	110mm	Chrome plating	10PCS	12 / 72



DOUBLE END POWER BITS (PH#2 WITH BELT CLIP)



Code	Size	Finish	Blister card	Icons
65143	65mm	Brown	10PCS	12 / 120
65144	110mm	Brown	10PCS	12 / 72



DOUBLE END POWER BITS (PH2)



Code	Size	Finish	Pouch bag	Icons
65164	150mm	Brown	2PCS	12 / 96
65165	200mm	Brown	2PCS	12 / 96
65166	250mm	Brown	2PCS	12 / 96
65167	300mm	Brown	2PCS	12 / 96

- Operate with one hand
- Magnetic



MAGNETIC SCREW HOLDER (WITH PH#2 SCREWDRIVER BITS)




Code	Size	Finish	Blister card	Icons
65197	65mm	Brown color (for bits)	2PCS	24 / 192
65198	110mm	Brown color (for bits)	2PCS	24 / 192



1/4" DR. MAGNETIC NUT SETTER





Code	Size	Double blister	Icons
67032	6x65	5PCS	12 / 120
67033	1/4"x65	5PCS	12 / 120
67034	7x65	5PCS	12 / 120
67035	8x55	5PCS	12 / 120
67036	8x65	5PCS	12 / 120
67037	9x65	3PCS	12 / 120
67038	10x65	3PCS	12 / 120
67039	11x65	3PCS	12 / 120
67040	12x65	3PCS	12 / 120
67041	13x65	3PCS	12 / 120
67042	14x65	2PCS	12 / 120



DOUBLE END PH2 TORSION POWER BITS



Code	Size	Finish	Double blister	 / 
65158	65mm	Chrome plating	2PCS	24 / 192
65159	110mm	Chrome plating	2PCS	24 / 192
65156	65mm	Chrome plating	10PCS	12 / 120
65157	110mm	Chrome plating	10PCS	12 / 72





Latest slim-type coating design, can use in confined area.

Made of CR-MO steel, excellent hardness and durability.

With magnetic tips and black phosphate for corrosion protection and wear resistance.

Different colors plastic injected handle for fast distinction of different tip.

Comfort ergonomic handle good for flame and voltage resistance.



APPROVED BY 10000V HIGH VOLTAGE RESISTANCE TEST.



Special slim type design

Pull testing

Fire testing

Impact testing


High voltage testing

MECHANIC'S BEST CHOICE

Electrician's best partners.



Caution: Keep insulated tools clean and dry. Please wear goggles at work for safety reason. Do not touch the non-insulated part without turning power off.



TRI-COLOR INSULATED SCREWDRIVER



Code	Tip	Size	Slim type	/
53319	SL	3.0x100	X	12 / 120
53333	SL	4.0x100	V	12 / 120
53334	SL	5.5x125	V	12 / 120
53335	SL	6.5x150	V	12 / 120
53336	SL	8.0x150	V	6 / 96
53325	PH	#0x75	X	12 / 120
53337	PH	#1x100	V	12 / 120
53338	PH	#2x100	V	12 / 120
53339	PH	#3x150	V	6 / 96



- Ergonomic molded grips and special coating make it withstand voltage.
- Follow the requirements of the IEC 60900 and certified to VDE and VPA/GS.

6PCS PRECISION SCREWDRIVER SET




Code	Size	/
50169	PH #00/#0/#1 Cabinet(CA) 1.5/2.0/3.0	12 / 72



TESTER

VDE CERTIFIED 110-250V

Code	Tip	Size	Slim type	/
52690	SL	3x140	X	12 / 120





伊瑪克國際股份有限公司

☎ Tel : 04 - 7874565
☎ Fax : 04 - 7874465
📠 ID : @emarktools
✉ sales - ek@emark.com.tw
🏠 www.emark.com.tw



官網



Line 粉絲團